L Number	Hits	Search Text	DB	Time stamp
-	1211	709/227.ccls. and @ad<20010103	USPAT; US-PGPUB	2004/04/15 08:08
-	22	(709/227.ccls. and @ad<20010103) and (thin adj2 client)	USPAT; US-PGPUB	2004/04/14 11:42
-	0	(("network computer") NEAR8 (thin NEAR4 (operating adj2 system))) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 11:49
-	41	(thin NEAR4 (operating adj2 system)) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 12:07
-	3	"very thin computer"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 12:09
-	2	"very thin operating system"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 12:09
-	5375	(thin NEAR4 ((operating NEAR3 system) or "OS"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 12:11
-	137	(thin NEAR4 ((operating NEAR3 system)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 12:11
-	96	((thin NEAR4 ((operating NEAR3 system)))) not ((thin NEAR4 (operating adj2 system)) and @ad<20010103)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:07
-	26	(thin adj1 client) NEAR6 desktop and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:20
-	19	((retriev$3 or download$3) NEAR3 desktop NEAR3 server) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:39
-	81845	((thin adj1 (client or computer)) or "network PC" or "NC") and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:40
-	2482	((thin adj1 (client or computer)) or "network PC") and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:41
-	23	(((thin adj1 (client or computer)) or "network PC") and @ad<20010103) and ((thin NEAR5 ("OS" or (operating adj2 system))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:41
-	0	9940520.URPN.	USPAT	2004/04/14 14:45
-	3	(("5680547") or ("5701491") or ("5799187")).PN.	USPAT; US-PGPUB	2004/04/14 14:49
-	777	713/2.ccls. and @ad<20010103	USPAT; US-PGPUB	2004/04/14 14:53

4/16/04

-	26	(713/2.ccls. and @ad<20010103) and ((thin adj1 client) or ((internet or network) adj1 appliance) or (network adj1 "pc"))	USPAT; US-PGPUB	2004/04/14 16:23
-	6	(citrix NEAR5 metaframe) and @ad<20010103	USPAT; US-PGPUB	2004/04/14 16:23
-	2230	709/203.ccls. and @ad<20010103	USPAT; US-PGPUB	2004/04/14 16:23
-	0	(709/203.ccls. and @ad<20010103) and ((thin adj1 client) or ((internet or network) adj1 appliance) or (network adj1 "pc")) NEAR5 ((operating adj2 system) and "OS")	USPAT; US-PGPUB	2004/04/14 16:26
-	2	(709/203.ccls. and @ad<20010103) and ((thin adj1 client) or ((internet or network) adj1 appliance) or (network adj1 "pc")) SAME ((operating adj2 system) and "OS")	USPAT; US-PGPUB	2004/04/14 16:26
-	179	(709/203.ccls. and @ad<20010103) and ((thin adj1 client) or ((internet or network) adj1 appliance) or (network adj1 "pc"))	USPAT; US-PGPUB	2004/04/14 16:39
-	3	((thin adj1 client) or ((internet or network) adj1 appliance) or (network adj1 "pc")) NEAR10 ((download$3 or retriev$3) NEAR5 ("GUI"))	USPAT; US-PGPUB	2004/04/14 16:40
-	1725	("OS" or (operating adj1 system) or kernel) NEAR3 ((thin adj2 client) or (net adj1 pc) or (network adj1 pc) or appliance) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 08:10
-	1720	("OS" or (operating adj1 system) or kernel) NEAR3 ((thin adj2 client) or (net adj1 pc) or appliance) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 08:10
-	1724	("OS" or (operating adj1 system) or kernel) NEAR3 ((thin adj2 client) or (network adj1 pc) or appliance) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 08:15
-	11	("OS" or (operating adj1 system) or kernel) NEAR3 ((thin adj2 client)) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 08:21
-	0	(709/219.ccls. or 709/222.ccls.) NEAR8 ((thin adj2 client)) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 08:22
-	0	(709/219.ccls. or 709/222.ccls.) SAME ((thin adj2 client) or (net$4 adj1 pc)) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 08:23
-	0	(709/219.ccls. or 709/222.ccls.) SAME ((thin adj2 client) or (net$4 adj1 pc) or appliance) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 08:23
-	0	(709/219.ccls. or 709/222.ccls.) NEAR20 ((thin adj2 client) or (net$4 adj1 pc) or appliance) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 08:23
-	0	(709/219.ccls. or 709/222.ccls.) NEAR50 ((thin adj2 client) or (net$4 adj1 pc) or appliance) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 08:23
-	196	(709/219.ccls. or 709/222.ccls.) AND ((thin adj2 client) or (net$4 adj1 pc) or appliance) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 08:53

-	965	boot$3 NEAR8 server and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 09:22
-	3	boot$3 NEAR4 (thin adj2 client) NEAR8 server and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 09:23
-	12	(boot$4 or start$3) NEAR4 ((thin adj2 client) or (net$4 adj2 pc) or appliance) NEAR8 server and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 09:24
-	29	(boot$4 or start$3) NEAR4 ((thin adj2 client) or (net$4 adj2 pc) or appliance) NEAR8 (server$2 or network) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:49
-	1	(thin adj2 client) NEAR10 ("16,000,000" NEAR4 color$1)	USPAT; US-PGPUB	2004/04/15 11:27
-	0	(thin adj2 client) NEAR10 (color NEAR3 palette)	USPAT; US-PGPUB	2004/04/15 11:28
-	284	((thin adj2 client) or (net$4 adj2 "pc") or appliance) AND ((color NEAR5 palette) or (million NEAR2 color$1) or (("32" adj3 bit) NEAR4 color$1))	USPAT; US-PGPUB	2004/04/15 11:49
-	33	((thin adj2 client) or (net$4 adj2 "pc") or appliance) AND ((million NEAR2 color$1) or (("32" adj3 bit) NEAR4 color$1))	USPAT; US-PGPUB	2004/04/15 15:10
-	0	((thin adj2 client) or (net$4 adj2 "pc") or appliance) AND ((video NEAR3 driver) NEAR8 ("32" NEAR3 bit)) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:45
-	9	((thin adj2 client) or (net$4 adj2 "pc") or appliance) AND ((video NEAR8 ("32" NEAR3 bit))) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:45
-	4	(US-6085247-$ or US-6704864-$).did. or (US-20020174010-$).did. or (WO-9940520-$).did.	USPAT; US-PGPUB; DERWENT	2004/04/15 11:48
-	1	((US-6085247-$ or US-6704864-$).did. or (US-20020174010-$).did. or (WO-9940520-$).did.) and (speaker$1 and microphone and CD and DVD)	USPAT; US-PGPUB	2004/04/15 11:48
-	49519	((thin adj2 client) or (net$4 adj2 "pc") or appliance)	USPAT; US-PGPUB	2004/04/15 11:49
-	28	(((thin adj2 client) or (net$4 adj2 "pc") or appliance)) and ((server SAME (display NEAR4 refresh$3)))	USPAT; US-PGPUB	2004/04/15 11:50
-	6	(publish$3 or send$3 or download$3) NEAR4 driver$1 SAME ((thin adj2 client) or (net$4 adj2 "pc") or appliance) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:36
-	1	server NEAR10 (publish$3 or send$3 or download$3) NEAR10 driver$1 SAME ((thin adj2 client) or (net$4 adj2 "pc") or appliance) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:38
-	1	server NEAR10 (publish$3 or send$3 or download$3 or transmit$4 or load$3) NEAR10 driver$1 SAME ((thin adj2 client) or (net$4 adj2 "pc") or appliance) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:40

-	946	server NEAR10 (publish$3 or send$3 or download$3 or transmit$4 or load$3) NEAR10 driver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:42
-	215	(server NEAR10 (publish$3 or send$3 or download$3 or transmit$4 or load$3) NEAR10 driver$1) NEAR5 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:43
-	93	(server NEAR10 (publish$3 or send$3 or download$3 or transmit$4 or load$3) NEAR10 driver$1) NEAR5 client and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 12:47
-	0	410297.URPN.	USPAT	2004/04/15 13:06
-	6	(("5513346") or ("6003096") or ("6209089") or ("6314455") or ("6324644") or ("6366957")).PN.	USPAT; US-PGPUB	2004/04/15 13:36
-	1	server NEAR8 (load$3 or download$3 or push$3) NEAR10 ("I/O" or (input NEAR2 output)) NEAR6 driver$1 and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:38
-	5	server NEAR8 (load$3 or download$3 or push$3) SAME ("I/O" or (input NEAR2 output)) NEAR6 driver$1 and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:30
-	12	computer NEAR5 ((million NEAR2 color$1) or (("32" adj3 bit) NEAR4 color$1))	USPAT; US-PGPUB	2004/04/15 15:12
-	140	(display or monitor) NEAR5 ((million NEAR2 color$1) or (("32" adj3 bit) NEAR4 color$1))	USPAT; US-PGPUB	2004/04/15 15:12
-	101	(display or monitor) NEAR5 ((million NEAR2 color$1) or (("32" adj3 bit) NEAR4 color$1))	USPAT	2004/04/15 15:24
-	0	(display or monitor) NEAR5 ((million NEAR2 color$1) AND (("32" adj3 bit) NEAR4 color$1))	USPAT	2004/04/15 15:24
-	2	(display or monitor) NEAR5 ((million NEAR2 color$1) NEAR4 color$1) AND (("32" adj3 bit) NEAR4 (video or adapter))	USPAT	2004/04/15 15:24
-	5106	server NEAR8 (control$3 or refresh$3) NEAR8 client	USPAT; US-PGPUB	2004/04/15 15:57
-	120	server NEAR8 (control$3 or refresh$3) NEAR8 (client NEAR4 display)	USPAT; US-PGPUB	2004/04/15 15:58
-	9	server NEAR8 (refresh$3) NEAR8 (client NEAR4 display)	USPAT; US-PGPUB	2004/04/15 15:58
-	1257	(thin adj 6085247.PN. client) NEAR10 drivers and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:30
-	154	(thin adj 6085247.PN. client) NEAR10 (drivers NEAR3 server) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:30
-	0	(thin adj3 client) NEAR10 (drivers NEAR3 server) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:31
-	1	(thin adj3 client) NEAR10 drivers and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:33
-	41	client NEAR4 (access$3 or us$3) NEAR5 (drivers NEAR4 server) and @ad<20010103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:35